Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1(currently amended). A method of making a new dental prosthetic from an existing dental prosthetic, comprising the steps of:

- a) providing an existing dental prosthetic;
- b) providing a mold having a bottom half and a top half, the bottom half including a side wall, a closed bottom and an open top face for mating with the top half, the top half including a further side wall, a partially open bottom face for mating with the open top face of the bottom half, and a partially open opened top;
- c) partially filling the bottom half of the mold with a first molding material;
- d) placing a first portion of the existing denture in the first molding molded material disposed in the bottom half;
- e) placing the top half of the mold on the bottom half of the mold; and
 - f) providing a second material; and

- g) covering a portion of the first material and a further portion of the existing denture with the second material.
 - 2(currently amended). A method as in claim 1, wherein:
- a) the step of providing the second material includes adding the second material through the partially open top and through the partially open bottom face of the top half.
 - 3 (currently amended). A method as in claim 1, wherein:
 - a) the first material includes an alginate alignate.
 - 4 (original). A method as in claim 1, wherein:
 - a) the second material includes a dental stone.
 - 5(original). A method as in claim 1, wherein:
- a) the first portion of the existing dental prosthetic includes a tooth.
 - 6(original). A method as in claim 1, wherein:
- a) the second portion of the existing dental prosthetic includes a portion of a jaw side of a dental prosthetic.

7(original). A method as in claim 1, wherein:

a) a locking device is provided for attaching the top half of the mold to the bottom half.

8(original). A method as in claim 7, wherein:

a) a locking device detachably attaches the top half to the bottom half.

9(original). A method as in claim 7, wherein:

a) the locking device permanently attaches the top half to the bottom half.

10 (original). A method as in claim 1, further comprising the steps of:

- a) allowing the first and second material to harden;
- b) removing the dental prosthetic from the first and second material;
- c) using the hardened first and second materials to form a negative of the existing dental prosthetic; and
- d) using the negative of the existing dental prosthetic to make a positive of a new dental prosthetic.

11(original). A method as in claim 10, further comprising the step of:

a) making corrections to the existing dental prosthetic prior to making the negative.

12-21 (cancelled).

- 22 (new). A method of making a new dental prosthetic from an existing dental prosthetic, comprising the steps of:
 - a) providing an existing dental prosthetic;
- b) providing a mold having a bottom half and a top
 half, the bottom half including a tapered side wall, a closed
 bottom and an open top face for mating with the top half, the top
 half including a further tapered side wall, a partially open
 bottom face for mating with the open top face of the bottom half,
 and a partially open top;
- c) partially filling the bottom half of the mold with a first molding material;
- d) placing a first portion of the existing denture in the first molding material disposed in the bottom half;
- e) placing the top half of the mold on the bottom half of the mold; and
 - f) providing a second material; and

- g) covering a portion of the first material and a further portion of the existing denture with the second material.
 - 23 (new). A method as in claim 22, wherein:
- a) the step of providing the second material includes adding the second material through the partially open top and through the partially open bottom face of the top half.
 - 24 (new). A method as in claim 22, wherein:
 - a) the first material includes an alginate.
 - 25 (new). A method as in claim 22, wherein:
 - a) the second material includes a dental stone.
 - 26 (new). A method as in claim 22, wherein:
- a) the first portion of the existing dental prosthetic includes a tooth.
 - 27 (new). A method as in claim 22, wherein:
- a) the second portion of the existing dental prosthetic includes a portion of a jaw side of a dental prosthetic.

- 28 (new). A method as in claim 22, wherein:
- a) a locking device is provided for attaching the top half of the mold to the bottom half.
 - 29 (new). A method as in claim 22, wherein:
- a) a locking device detachably attaches the top half to the bottom half.
- 30 (new). A method as in claim 22, further comprising the steps of:
 - a) allowing the first and second material to harden;
- b) removing the dental prosthetic from the first and second material;
- c) using the hardened first and second materials to form a negative of the existing dental prosthetic; and
- d) using the negative of the existing dental prosthetic to make a positive of a new dental prosthetic.
- 31 (new). A method as in claim 22, further comprising the step of:
- a) making corrections to the existing dental prosthetic prior to making the negative.